LIST OF CONTENTS

NUMBER 1

J. W. LEE, C. J. SANTANA, C. R. ABERNATHY, S. J. PEARTON and K. S. JONES: Plasma-induced damage and hydrogenation of $Al_xGa_{1-x}P$ 1

S. CHEON, S. C. LEE, S. HONG and K.-H. YOO: Study of quasi-two dimensional hole gas in $Si/Si_xGe_{1-x}/Si$ quantum wells 7

LIH-WEN LAIH, WEN-SHIUNG LOUR, JUNG-HUI TSAI, WEN-CHAU LIU, CHENG-ZU WU, KONG-BENG THEI and RONG-CHAU LIU: Characteristics of metal-insulated-semiconductor (MIS) like $In_{0.2}Ga_{0.8}As/GaAs$ doped-channel structure 15

TETSUZO UEDA, KAZUO MIYATSUJI and DAISUKE UEDA: Temperature-independent transconductance in 0.05 μm-gate AlGaAs/GaAs MODFET 21

Y. YUE, J. J. LIOU, A. ORTIZ-CONDE and F. GARCIA SANCHEZ: Effects of high-level free-carrier injection on the base transit time of bipolar junction transistors 27

M. JAGADESH KUMAR and SAVVAS G. CHAMBERLAIN: Selective reactive ion etching of PECVD silicon nitride over amorphous silicon in CF_4/H_2 and nitrogen containing CF_4/H_2 plasma gas mixtures 33

M. MÉBARKI, H. AIT-KACI, J. L. LAZZARI, C. SEGURA-FOUILLANT, A. JOULLIÉ, C. LLINARÈS and I. SALESSE: High sensitivity 2.5 μm photodiodes with metastable GaInAsSb absorbing layer 39

SERGE BIESEMANS, STEFAN KUBICEK and KRISTIN DE MEYER: New current-defined threshold voltage model from 2D potential distribution calculations in MOSFETs 43

J. P. COLINGE, X. BAIE, V. BAYOT and E. GRIVEI: A silicon-on-insulator quantum wire .. 49

MELIH ÖZAYDIN and LESTER F. EASTMAN: Analysis of abrupt emitter–base heterojunctions by multi-flux method and self-consistent solution of Schrödinger and Poisson equations 53

W. FEILER, W. GERLACH and U. WIESE: On the turn-off behaviour of the NPT-IGBT under clamped inductive loads 59

G. F. NIU, G. RUAN and D. H. ZHANG: Modeling of hole confinement gate voltage range for SiGe channel *p*-MOSFETs 69

YOUNG-SHYING CHEN, TZ-HUA TANG and SHENG-LYANG JANG: Modeling of hot-carrier-stressed characteristics of *n*MOSFETs 75

ENISE AYYILDIZ, ABDULMECIT TÜRÜT, HASAN EFEOĞLU, SEBAHATTIN TÜZEMEN, MUSTAFA SAĞLAM and Y. KEMAL YOĞURTÇU: Effect of series resistance on the forward current–voltage characteristics of Schottky diodes in the presence of interfacial layer.. 83

S. P. WAINWRIGHT, S. HALL and D. FLANDRE: The effect of series resistance on threshold voltage measurement techniques for fully depleted SOI MOSFETs 89

IL-JUNG KIM, SATOSHI MATSUMOTO, TATSUO SAKAI and TOSHIAKI YACHI: Analytical approach to breakdown voltages in thin-film SOI power MOSFETS 95

RANBIR SINGH and B. J. BALIGA: Cryogenic operation of power bipolar transistors..... 101

SUNG-HUN OH, JULIAN J. SANCHEZ and THOMAS A. DEMASSA: Small geometry MOS threshold voltage variations from solutions of the three-dimensional Poisson's equation..... 109

M. D. J. BOWYER, D. G. ASHWORTH and R. OVEN: Representation of two-dimensional ion implantation rest distributions by Pearson distribution curves for silicon technology... 119

WENMU HE and ZEYNEP CELIK-BUTLER: $1/f$ noise and dark current components in HgCdTe MIS infrared detectors..... 127

M. M. JAHAN and A. F. M. ANWAR: An analytical expression for base transit time in an exponentially doped base bipolar transistor..... 133

J. M. GARRETT, M. J. EVANS and M. S. TOWERS: A comparative study of the transient response of GTO thyristors..... 137

RAJIV MADABHUSHI, CAN E. KORMAN and ISAAK D. MAYERGOYZ: A three-dimensional MOSFET solver implementing the fixed point iteration technique..... 147

N. R. MIRCHINA and A. PELED: Time of flight analysis of charge transport in insulators for the nondispersive trap limited domain..... 159

L. L. LIOU, B. BAYRAKTAROGLU and C. I. HUANG: Theoretical thermal runaway analysis of heterojunction bipolar transistors: junction temperature rise threshold..... 165

Notes

PINGXI MA, LICHUN ZHANG and YANGYUAN WANG: Analytical relations pertaining to collector current density and base transit time in bipolar transistors..... 173

Zs. J. HORVÁTH: Comment on "Analysis of I–V measurements on $CrSi_2$–Si Schottky structures in a wide temperature range"..... 176

NUMBER 2

Review Paper

K. G. MERKEL, C. L. A. CERNY, V. M. BRIGHT, F. L. SCHUERMEYER, T. P. MONAHAN, R. T. LAREAU, R. KASPI and A. K. RAI: Improved p-channel InAlAs/GaAsSb HIGFET using Ti/Pt/Au ohmic contacts to beryllium implanted GaAsSb..... 179

A. KAGER and J. J. LIOU: Two-dimensional numerical analysis of AlGaAs/GaAs heterojunction bipolar transistors including the effects of graded layer, setback layer and self-heating..... 193

K. L. TSAI, C. P. LEE, P. C. CHEN, J. S. TSANG, C. M. TSAI and J. C. FAN: The effect of barrier structure on the performance of double barrier quantum well infra-red photodetectors..... 201

YUO-HSIEN SHIAU and YI-CHEN CHENG: Static and dynamic hysteresis in deep-impurity doped n-GaAs under d.c. bias voltage..... 205

A. ORTIZ-CONDE, J. J. LIOU, R. NARAYANAN and F. J. GARCÍA SÁNCHEZ: Determination of physical mechanisms contributing to the difference between drain and source resistances in short-channel MOSFETs..... 211

FRANK J. EFFENBERGER and GLENN D. BOREMAN: Dual-carrier transport model of SPRITE detectors 217

J. TARDY, P. ROJO-ROMÉO, P. VIKTOROVITCH, P. CRÉMILLIEU and X. LETARTRE: Stability and noise of Pd–Ge–Ag–Au ohmic contacts to InGaAs–InAlAs high electron mobility transistors 225

G. HINRICHS and D. PREIKSZAT: A new process for simultaneous fabrication of a buried and a surface oxide layer 231

E. CORBIN, K. B. WONG and M. JAROS: Auger-free Si–SiGe quantum well structures for infra-red detection at 10 μm 237

SERHAT ÖZDER, İSMAİL ATILGAN and BAYRAM KATIRCIOĞLU: Effects of surface potential fluctuations on DLTS of MOS structure 243

A. FAIGÓN and F. CAMPABADAL: A semi-empirical model for the tunnel current–voltage characteristics in Al–SiO_2–Si(p) structures 251

JIH-SHIN HO, TZUEN-HSI HUANG and MING-JER CHEN: High gain p–n–p gated lateral bipolar action in a fully depleted counter-type channel p-MOSFET structure 261

SYLVIE GALDIN, FRANÇOIS-XAVIER MUSALEM, PHILIPPE DOLLFUS, MIREILLE MOUIS and PATRICE HESTO: Transient analysis of CML inverter using Monte Carlo simulations ... 269

V. W. L. CHIN, J. W. V. STOREY and M. A. GREEN: Bias and thickness dependence of the infra-red PtSi/p-Si Schottky diode studied by internal photoemission 277

Z. ÇELIK-BUTLER, R. ZHANG and N. PATEL: 1/f noise and electromigration in multilayered via structures 281

M. A. ABDALA, M. A. IQBAL and B. K. JONES: The measurement and analysis of 1/f noise in GaAsFETs 287

MICHAIL F. KOKOREV and NICOLAI A. MALEEV: A new approach to the determination of gate length and other parameters of GaAs MESFETs and MODFETs 297

Notes

YU ZHU, YOSHITERU ISHIMARU and MASAFUMI SHIMIZU: Gate resistance determination for HEMTs with MIS-type Schottky contact 303

GUO-FU NIU and GANG RUAN: The effect of substrate bias in bulk and SOI SiGe-channel p-MOSFETs 305

S. C. CHOO: On space-charge recombination in pn junctions 308

C. R. ABERNATHY, S. J. PEARTON, J. D. MACKENZIE, J. R. MILEHAM, S. R. BHARATAN, V. KRISHNAMOORTHY, K. S. JONES, M. HAGEROTT-CRAWFORD, R. J. SHUL, S. P. KILCOYNE, J. M. ZAVADA, D. ZHANG and R. M. KOLBAS: Growth and fabrication of GaN–InGaN microdisk laser structures 311

C. DONOLATO: Analytical approximation to the capacitance of the microstrip disk capacitor 314

YUN YUE and JUIN J. LIOU: Effects of incomplete ionization of impurity dopants on the performance of bipolar junction transistors 318

Letter to the Editor
E. H. SHABAN: Non-exponential capacitance transient in deep level transient spectroscopy (DLTS) measurements 321

NUMBER 3

T. DRABE and R. SITTIG: Theoretical investigation of planar junction termination 323

A. SUBEKTI, V. W. L. CHIN and T. L. TANSLEY: Ohmic contacts to *n*-type and *p*-type GaSb 329

K. S. A. BUTCHER, T. L. TANSLEY and D. ALEXIEV: An instrumental solution to the phenomenon of negative capacitances in semiconductors 333

NAOTO MATSUO and AKIO SASAKI: Conduction mechanism of oxide–nitride–oxide film formed on the rough polycrystalline silicon surface 337

JUNG-HUI TSAI, WEN-SHIUNG LOUR, LIH-WEN LAIH, RONG-CHAU LIU and WEN-CHAU LIU: Characteristics of camel-gate structures with active doping channel profiles 343

MOTAHARUL KABIR MAZUMDER, KIYOTERU KOBAYASHI, YOJI MASHIKO and HIROSHI KOYAMA: Negative stress-induced current in oxidized nitride layers of different nitride thicknesses (< 5 nm) 349

S. BOTA, B. GARRIDO, J. R. MORANTE, A. BARABAN and P. P. KONOROV: Electroluminescence analysis of the structural damage created in SiO_2/Si systems by Ar ion implantation 355

CHIN-SHAN HOU and CHING-YUAN WU: A design strategy for short gate length SOI MESFETs 361

LICHYN LEE, HAROLD G. PARKS and RONALD D. SCHRIMPF: Interpretation of experimentally observed *C–t* responses for copper contaminated devices 369

JÜRGEN SCHNEIDER, ERIC KOENIG, UWE ERBEN, ULRICH SEILER and HERMANN SCHUMACHER: Thermionic diffusion model for abrupt HBTs including self-heating inside the multilayer nonplanar device structure 377

B. L. YANG, H. WONG and Y. C. CHENG: Modelling of trap-assisted electronic conduction in thin thermally nitrided oxide films 385

JURAJ RACKO, ALENA GRMANOVÁ and JURAJ BREZA: Extended thermionic emission–diffusion theory of charge transport through a Schottky diode 391

XIAOPING GAO and SINCLAIR S. YEE: Hole capture cross section and emission coefficient of defect centers related to high-field-induced positive charges in SiO_2 layers 399

SHI-HO KIM, KYEONG-SIK MIN and KWYRO LEE: Time dependent hot-carrier induced interface state generation in deep submicron LDD *n*MOSFETs 405

KOUBAO DING and XIUMIAO ZHANG: A new method for MIS/IL silicon solar cell simulation 411

Notes

J. J. LIOU, S. H. SHEU, C. I. HUANG and D. C. WILLIAMSON: Bias and temperature dependencies of base and collector leakage currents of AlGaAs/GaAs heterojunction bipolar transistors 415

A. ORTIZ-CONDE, F. J. GARCIA SANCHEZ and J. J. LIOU: An improved method for extracting the difference between drain and source resistances in MOSFETs..... 419

NUMBER 4

Special Section: Low Power Electronics

Foreword..... 423

GERHARD SCHROM, CHRISTOPH PICHLER, THOMAS SIMLINGER and SIEGFRIED SELBERHERR: On the lower bounds of CMOS supply voltage 425

D. SCHERRER, P. APOSTOLAKIS, J. MIDDLETON, P. J. MARES, J. KRUSE and M. FENG: Noise and gain comparison of 0.25 μm gate MESFETs and *P*HEMTs for low power wireless communication circuits..... 431

HIROKI NAKAJIMA, KENJI KURISHIMA, SHOJI YAMAHATA, TAKASHI KOBAYASHI and YUTAKA MATSUOKA: Low-current operation of high-speed InP/InGaAs heterojunction bipolar transistors 439

NEAL KISTLER and JASON WOO: Scaling behavior of sub-micron MOSFETs on fully depleted SOI..... 445

D. FLANDRE, L. F. FERREIRA, P. G. A. JESPERS and J.-P. COLINGE: Modelling and application of fully depleted SOI MOSFETs for low voltage, low power analogue CMOS circuits..... 455

DAVID E. FULKERSON, STEVEN BAIER, JAMES NOHAVA and ROD HOCHHALTER: Complementary heterostructure FET technology for low power, high speed digital applications 461

D. BEHAMMER, J. N. ALBERS, U. KÖNIG, D. TEMMLER and D. KNOLL: Si/SiGe HBTs for application in low power ICs 471

P. K. VASUDEV: CMOS device and interconnect technology enhancements for low power/low voltage applications 481

P. K. VASUDEV, M. MENDICINO and T. E. SEIDEL: Advanced materials for low power electronics..... 489

MICHAEL ALLES and WADE KRULL: Advanced manufacturing of SIMOX for low power electronics..... 499

Papers

S. BELKOUCH, C. AKTIK, H. XU and E. L. AMEZIANE: GaAs surface chemical passivation by $(NH_4)_2S + Se$ and the effect of annealing treatments..... 507

KUNTAL JOARDAR: Substrate crosstalk in BiCMOS mixed mode integrated circuits 511

YI-ZEN HUANG, WEI-SHIN LU and JENN-GWO HWU: Process control of rapid thermal N_2O-annealed thin gate oxides 517

JUAN M. LÓPEZ-GONZÁLEZ and LLUIS PRAT: Numerical modelling of abrupt InP/InGaAs HBTs 523

D. FREUND, A. KLÖS and A. KOSTKA: Conformal mapping techniques for the analytical, two-dimensional calculation of currents in lateral bipolar transistor structures..... 529

JONGOH KIM, BYOUNGUK IHN, BUMMAN KIM, KWANGIL LEE, WONOH LEE and SEOUNGHWAN LEE: Extraction of lateral device parameters and channel doping profile of vertical double-diffused MOS transistors 541

M. F. ZYBURA, S. H. JONES, B. W. LIM, J. D. CROWLEY and J. E. CARLSTROM: 125–145 GHz stable depletion layer transferred electron oscillators 547

TOMÁS GONZÁLEZ and DANIEL PARDO: Physical models of ohmic contact for Monte Carlo device simulation 555

D. BAUZA and G. GHIBAUDO: Analytical study of the contribution of fast and slow oxide traps to the charge pumping current in MOS structures 563

YONG QIANG LI, C. ANDRE T. SALAMA, MIKE SEUFERT, PETER SCHVAN and MIKE KING: A resurfed high-voltage NMOS device fully compatible with a low-voltage 0.8 μm BiCMOS technology 571

K. CHAKRABARTY and S. N. SINGH: Depletion layer resistance and its effect on I–V characteristics of fully- and partially-illuminated silicon solar cells..... 577

P. G. MCCAFFERTY, A. SELLAI, P. DAWSON and H. ELABD: Barrier characteristics of PtSi/p-Si Schottky diodes as determined from I–V–T measurements 583

P. AUSTIN, J. L. SANCHEZ and R. BERRIANE: Optimization of PP^- junction termination for new power devices 593

D. HOARE, R. A. ABRAM and R. W. KELSALL: Monte Carlo simulation of real and reciprocal space transfer of electrons in a pseudomorphically strained GaAs/$In_{0.15}Ga_{0.85}As$/GaAs quantum well 601

V. L. FALKO, S. I. KHANKINA and V. M. YAKOVENKO: Surface thermoplasma waves and their interaction with flow of charged particles at a semiconductor–metal interface..... 611

S. K. ISLAM and F. C. JAIN: Analysis of quantum wire high electron mobility transistor (HEMT) structure 615

NUMBER 5

H. X. YUAN and A. G. U. PERERA: Space charge analysis of Si n^+–i structures with application to far-infrared detectors..... 621

S. BABIKER, A. ASENOV, J. R. BARKER and S. P. BEAUMONT: Finite element Monte Carlo simulation of recess gate compound FFTs 629

M. ACEVES, C. FALCONY, A. REYNOSO-HERNANDEZ, W. CALLEJA and A. TORRES: The conduction properties of the silicon/off-stoichiometry-SiO_2 diode 637

H. C. LIN, H. Y. LIN and C. Y. CHANG: Effect of Ge incorporation on the performance of p-channel polycrystalline $Si_{1-x}Ge_x$ thin-film transistors 645

PETER J. PRICE: A finite number of sub-bands? 653

N. A. DUMIN, K. J. DICKERSON, D. J. DUMIN and B. T. MOORE: Correlation of the decay of tunneling currents with trap generation inside thin oxides 655

S. KRISHNAN and J. G. FOSSUM: Compact non-local modeling of impact ionization in SOI MOSFETs for optimal CMOS device/circuit design 661

SUMIO TANAKA: Study of Fowler–Nordheim tunneling current from polysilicon asperity surface into oxide based on accurate formulation utilizing the charge simulation method 669

Y. ONGANER, M. SAĞLAM, A. TÜRÜT, H. EFEOĞLU and S. TÜZEMEN: High barrier metallic polymer/p-type silicon Schottky diodes 677

S. S. ROFAIL and YEO KIAT SENG: New complementary BiCMOS digital gates for low-voltage environments 681

KUO-FENG YOU and CHING-YUAN WU: A novel two-step etching process for reducing plasma-induced oxide damage 689

F. REN, W. S. HOBSON, J. M. KUO, J. R. LOTHIAN, J. LOPATA, S. J. PEARTON and J. A. CABALLERO: Electron cyclotron resonance plasma etching of InP and related materials in BCl_3 695

K. CHEN, J. H. HUANG, J. Z. MA, Z. H. LIU, M. C. JENG, P. K. KO and C. HU: Temperature effects on MOSFET driving capability and voltage gain 699

A. M. P. J. HENDRIKS, W. MAGNUS and T. G. VAN DE ROER: Accurate modelling of the accumulation region of a double barrier resonant tunnelling diode 703

PING-CHANG YANG and PATRICK S. LIU: Modeling of anomalous current–voltage characteristics in floating body fully depleted SOI nMOSFETs 713

YUHUA CHENG and TOR A. FJELDLY: Unified physical I–V model of fully depleted SOI/MOSFETs for analog/digital circuit simulation 721

MELIH ÖZAYDIN and LESTER F. EASTMAN: Non-equilibrium carrier transport in the base of heterojunction bipolar transistors 731

NAOUFEL BEN ABDALLAH, PIERRE DEGOND and AHMED YAMNAHAKKI: The Child–Langmuir law as a model for electron transport in semiconductors 737

ARTI NOOR and CHANDRA SHEKHAR: A 3D analytical model for threshold voltage of small-geometry MOSFET 745

G. S. SAMUDRA, B. P. SEAH and C. H. LING: Determination of LDD MOSFET drain resistance from device simulation 753

Notes

A. K. PANDA, G. N. DASH and S. P. PATI: Computer aided optimization of ion implantation impurity profiles for n^+npp^+ double drift IMPATT diodes with three moment approach 759

F. REN, R. A. HAMM, R. G. WILSON, S. J. PEARTON and J. R. LOTHIAN: Passivation of carbon doping in InGaAs during ECR-CVD of SiN_x 763

Letter to the Editor
Comments on "Ehrenfest derivation of the mean forces acting in materials with nonuniform band structure: a canonical approach"..... 767

NUMBER 6

M. S. SHEKAR and B. J. BALIGA: Temperature dependence of the emitter switched thyristor characteristics 769

J. B. CASADY, J. D. CRESSLER, W. C. DILLARD, R. W. JOHNSON, A. K. AGARWAL and R. R. SIERGIEJ: Direct current characterization of depletion-mode 6H-SiC MOSFETs from 294 to 723 K 777

D. M. RICHEY, A. J. JOSEPH, J. D. CRESSLER and R. C. JAEGER: Evidence for non-equilibrium base transport in Si and SiGe bipolar transistors at cryogenic temperatures 785

CHENG-ZU WU, LIH-WEN LAIH and WEN-CHAU LIU: Study of InGaAs/GaAs metal-insulator-semiconductor-like heterostructure field-effect transistor 791

R. J. WALTERS, S. R. MESSENGER, H. L. COTAL, G. P. SUMMERS and E. A. BURKE: Electron and proton irradiation-induced degradation of epitaxial InP solar cells 797

B. I. CRAIG, R. J. WATSON and M. H. UNEWISSE: Anisotropic excess noise within a-Si:H 807

O. DOS SANTOS, V. MATHET, C. FAU, S. CHARAR and M. AVEROUS: Pb/*p*-PbSe junction: an investigation of current–voltage and capacitance–voltage measurements 813

R. SINGH and B. J. BALIGA: Cryogenic operation of power junction field effect transistors 821

M. VAIDYANATHAN and D. L. PULFREY: An appraisal of the one-flux method for treating carrier transport in modern semiconductor devices..... 827

WAN-RONE LIOU, JIA-CHUAN LIN and MEI-LING YEH: Simulation and analysis of a high-frequency resonant tunneling diode oscillator 833

S. C. RUSTAGI, Z. O. MOHSEN, S. CHANDRA and A. CHAND: *C–V* characterization of MOS capacitors in SOI structures 841

V. A. VASHCHENKO and V. F. SINKEVITCH: Current instability and burnout of HEMT structures..... 851

K. T. YAN and L. FORBES: A model for the 1/f noise corner frequency of FETs on semi-insulating substrates based on bulk phenomena: theory and experiments 857

R. BERRIANE, J.-L. SANCHEZ and J. JALADE: MOS-gated optically triggered thyristor: a new galvanically insulated high voltage integrated switch..... 863

S. MONEGER, H. QIANG, F. H. POLLAK, D. L. MATHINE, R. DROOPAD and G. N. MARACAS: Contactless electroreflectance characterization of three InGaAs quantum wells placed in a GaAs/AlGaAs resonant cavity 871

J. BANQUERI, J. A. LÓPEZ-VILLANUEVA, F. GÁMIZ, J. E. CARCELLER, E. LORA-TAMAYO and M. LOZANO: A procedure for the determination of the effective mobility in an *N*-MOSFET in the moderate inversion region 875

H. KUAN, Y. K. SU, T. S. WU, Y. S. HUANG and W. S. CHI: Electromodulation spectroscopy study of symmetry forbidden transitions in an $In_xGa_{1-x}As$/GaAs single quantum well grown using a tertiarybutylarsine source 885

B. KRÜGER, TH. ARMBRECHT, TH. FRIESE, B. TIEROCK and H. G. WAGEMANN: The Shockley–Haynes experiment applied to MOS structures 891

B. KRÜGER, TH. FRIESE, F. EL-RATEL, W. SHARABATI and H. G. WAGEMANN: Minority carrier behavior in silicon—measurement results derived from the Shockley–Haynes experiment 897

YA-HSIANG TAI, FENG-CHENG SU, MING-SHIANG FENG and HUANG-CHUNG CHENG: Effects of the rear interface states and fixed charges on the electrical characteristics of thin film transistors with thin amorphous silicon layers 901

A. RAYCHAUDHURI, M. J. DEEN, M. I. H. KING and J. KOLK: Finding the asymmetric parasitic source and drain resistances from the a.c. conductances of a single MOS transistor 909

Z. S. GRIBNIKOV, A. N. KORSHAK, N. Z. VAGIDOV and V. V. MITIN: Effect of base parameters on the gate-controlled squeeze of a current-conducting region in *pnpn* structures 915

DUHEON SONG, JUNHEE LIM, KYUNGHO LEE, YOUNG-JUNE PARK and HONG-SHICK MIN: Optimization study of halo doped MOSFETs 923

DANG TRAN QUAN: Deep levels in Au-$Po_xN_yH_z$-(*n*)InP MIS structures 929

B. Y. CHEN, H. C. WU and J. B. KUO: A 2D simulation study on the d.c. and transient behaviour of a SiGe-base heterojunction bipolar device with an extended germanium profile into the *n*-epi region with application to an ECL buffer 935

M. M. JAHAN and A. F. M. ANWAR: An exact current partitioning and its effect on base transit time in double heterojunction bipolar transistors 941

NUMBER 7

Review paper
E. SIMOEN and C. CLAEYS: The low-frequency noise behaviour of silicon-on-insulator technologies 949

R. ANHOLT, C. BOZADA, R. DETTMER, D. VIA, T. JENKINS, J. BARRETTE, J. EBEL, C. HAVASY, J. SEWELL and T. QUACH: Measuring, modeling, and minimizing capacitances in heterojunction bipolar transistors 961

D. NAGEL, U. KUHLMANN and R. SITTIG: *pn*-Junctions in silicon with blocking capabilities beyond 2.5 kV produced by rapid thermal processing 965

J. C. CAO and X. L. LEI: Carrier transport simulation for bulk $Al_xGa_{1-x}As$ with a Γ-L-X band structure based on Lei–Ting balance equations 971

V. SARGUNAS, D. A. THOMPSON and J. G. SIMMONS: High energy He^+ bombardment of *n*-type InP 977

J. RANAWEERA, I. KALASTIRSKY, E. GULERSEN, W. T. NG and C. A. T. SALAMA: A novel programming method for high speed, low voltage flash E^2PROM cells..... 981

YUN-SHAN CHANG and SHENG S. LI: Modeling and parameter extraction of gate-all-around *n*MOS/SOI transistors in the linear region 991

Z. ÇELIK-BUTLER: $1/f$ noise as an electromigration characterization tool for W-plug vias between TiN/Al-Cu/TiN metallizations..... 999

A. CHIN, H. Y. LIN and B. C. LIN: Enhancement of the optical and electrical properties in InGaAlP/InGaP *PIN* heterostructures by rapid thermal annealing on misoriented substrate 1005

B. M. TENBROEK, W. REDMAN-WHITE, M. S. L. LEE and M. J. UREN: Electrical measurement of silicon film and oxide thicknesses in partially depleted SOI technologies 1011

SHWU-JING CHANG and CHIEN-PING LEE: Numerical analysis of the transient behavior of the sidegating effect in GaAs MESFETs 1015

N. ADHIKARI and M. EL NOKALI: Investigation of the importance of high-level injection in abrupt HBTs..... 1021

V. A. VASHCHENKO, J. B. MARTYNOV, V. F. SINKEVITCH and A. S. TAGER: Current instability in GaAs n^+-i-n^+ structures as a limitation of the maximum drain voltage of power MESFETs 1027

E. ATANASSOVA and A. PASKALEVA: Mobility degradation of inversion layer carriers due to MERIE-type plasma action 1033

SHENG-LYANG JANG, TZ-HUA TANG, YOUNG-SHYING CHEN and CHORNG-JYE SHEU: Modeling of hot-carrier stressed characteristics of submicrometer *p*MOSFETs 1043

E. VINCENT, C. PAPADAS, C. RIVA, F. PIO and G. GHIBAUDO: Reliability issues of furnace nitridated oxides prepared with reduced thermal budget in N_2O ambient 1051

A. W. SMITH and K. F. BRENNAN: Comparison of non-parabolic hydrodynamic simulations for semiconductor devices 1055

L. PICHON, F. RAOULT, T. MOHAMED-BRAHIM, O. BONNAUD and H. SEHIL: Effects of the *in-situ* drain doping on hot-carrier degradation in polysilicon thin film transistors..... 1065

B. GENTINNE, D. FLANDRE and J.-P. COLINGE: Measurement and modeling of thin-film accumulation-mode SOI *p*-MOSFET intrinsic gate capacitances 1071

CHR. JUNGEMANN, R. THOMA and W. L. ENGL: A soft threshold lucky electron model for efficient and accurate numerical device simulation 1079

N. KESKITALO, A. HALLÉN, F. MASSZI and J. OLSSON: Simulation of forward bias injection in proton irradiated silicon *pn*-junctions 1087

Notes

Z. LATIF, A. ORTIZ-CONDE, J. J. LIOU, F. J. GARCIA SANCHEZ, W. WANG and Y. G. CHEN: Analysis of the validity of methods for extracting the effective channel length of short-channel LDD MOSFETs 1093

J. W. LEE, S. J. PEARTON, C. R. ABERNATHY, W. S. HOBSON and F. REN: Effect of Ar addition in ECR $CH_4/H_2/Ar$ plasma etching of GaAs, InP and InGaP 1095

TSUN-LAI HSU, JENG GONG and G. M. HONG: A physical model of base resistance from low to high currents for arbitrarily doped submicrometer BJTs 1100

L. L. LIOU, T. JENKINS, J. BARRETTE, D. BARLAGE and R. LEE: Small-signal microwave characteristics of AlGaAs/GaAs heterojunction bipolar transistors using 1D numerical simulation including thermal and parasitic effects 1104

J. HONG, J. W. LEE, C. J. SANTANA, C. R. ABERNATHY, E. S. LAMBERS, S. J. PEARTON, W. S. HOBSON and F. REN: Comparison of dry etching techniques for InGaP, AlInP and AlGaP 1109

NUMBER 8

Review Paper

R. G. WILSON: Ion implantation and secondary ion mass spectrometry of compound semiconductors 1113

TSUEN-LIN LEE, WEN-DING CHU and HAO-HSIUNG LIN: Growth and characterization of AlGaAs/GaAs heterojunction bipolar transistor on GaAs (111)B substrate by molecular beam epitaxy 1127

M. PASSLACK, M. HONG and J. P. MANNAERTS: *C–V* and *G–V* characterization of *in-situ* fabricated Ga_2O_3–GaAs interfaces for inversion/accumulation device and surface passivation applications 1133

KONG-BENG THEI, JUNG-HUI TSAI, WEN-CHAU LIU and WEN-SHIUNG LOUR: Characteristics of functional heterostructure–emitter bipolar transistors (HEBTs) 1137

P. LUNDGREN and M. O. ANDERSSON: Temperature dependence confirmation of tunneling through 2–6 nm silicon dioxide 1143

X. Y. CHEN and M. R. LEYS: Study of 1/f noise in InP grown by CBE 1149

R. E. KUNZ, E. SCHÖLL, R. NÜRNBERG and H. GAJEWSKI: Low-temperature impurity breakdown in semiconductors: an approach towards efficient device simulation 1155

R. BERNINI, A. CUTOLO, A. IRACE, P. SPIRITO and L. ZENI: Contactless characterization of the recombination process in silicon wafers: separation between bulk and surface contribution 1165

J. B. KUO, Y. W. CHANG and C. S. LAI: A velocity-overshoot capacitance model for 0.1 μm MOS transistors 1173

CHONG-MAN YUN, DOO-YOUNG KIM, MIN-KOO HAN and YEARN-IK CHOI: Numerical analysis of a new vertical IGBT structure with reduced JFET effect 1179

R. RYTER, R. ZINGG and W. FICHTNER: Optimizing high voltage bipolar transistors in a smart-power complementary BiCMOS technology 1185

K. JOARDAR: A simple d.c. based method for monitoring transistor capacitance 1193

A. D. SADOVNIKOV, A. NATHAN and T. MANKU: Numerical simulation of transconductance in Si/SiGe *p*-MOSFETs 1199

N. R. MIRCHINA and A. PELED: Time of flight analysis of charge transport in insulators for a finite width charge packet with trapping 1205

WENCHAO LIANG, D. C. KERR, N. GOLDSMAN and I. D. MAYERGOYZ: Hydrodynamic device simulation using new state variables tailored for a block Gummel iterative approach 1213

S. BELLONE, N. RINALDI, G. F. VITALE, G. COCORULLO, G. SCHWEEGER and H. L. HARTNAGEL: A two-dimensional analytical model of homojunction GaAs BMFET structures 1221

G. MERCKEL and A. ROLLAND: A compact CAD model for amorphous silicon thin film transistors simulation—I. d.c. analysis 1231

G. MERCKEL and A. ROLLAND: A compact CAD model for amorphous silicon thin film transistors simulation—II. Transient non-quasi-static analysis 1241

Notes

SEUNG-YOUP HAN, JONG-MIN NA, YEARN-IK CHOI, JIN-CHEOL SHIN and SANG-KOO CHUNG: An analytical model of the breakdown voltage and minimum epi layer length for RESURF *pn* diodes 1247

CHRIS L. CHUA: Expressions for the chemical potential in metals and other highly degenerate materials 1249

AMLAN MAJUMDAR: Electron drift velocity versus electric field in III–V semiconductors 1251

NUMBER 9

Review Paper

C. S. WU, C. P. WEN, P. REINER, C. W. TU and H. Q. HOU: Radiation hard blocked tunneling band GaAs/AlGaAs superlattice long wavelength infrared detectors 1253

AKIYASU YAMASHITA: Capacitance–voltage hysteresis of an electrolyte–GaAs Schottky contact associated with field-enhanced trapping of hot electrons 1269

Y. YUE, J. J. LIOU and I. BATARSEH: An analytical insulated-gate bipolar transistor (IGBT) model for steady-state and transient applications under all free-carrier injection conditions 1277

K. C. SONG, M. A. MATIN, B. ROBINSON, J. G. SIMMONS, D. A. THOMPSON and P. MASCHER: High performance InP/InGaAs-based MSM photodetector operating at 1.3–1.5 μm.... 1283

WIM GEERTS, J. D. MACKENZIE, C. R. ABERNATHY, S. J. PEARTON and THOMAS SCHMIEDEL: Electrical transport in p-GaN, n-InN and n-InGaN 1289

WEN-SHIUNG LOUR and CHUNG-CHENG CHANG: VPE grown ZnSe/Si PIN-like visible photodiodes 1295

HITOSHI SUMIDA, ATSUO HIRABAYASHI and SABUROU TAGAMI: Transient substrate current in the SOI-LIGBT 1299

M. BORGARINO, F. PAORICI and F. FANTINI: Negative V_{BE} shift due to base dopant outdiffusion in DHBT..... 1305

R. PÄSSLER: Comparison of different analytical descriptions of the temperature dependence of the indirect energy gap in silicon 1311

K. W. SU and J. B. KUO: Modeling narrow-channel effect in VLSI mesa-isolated SOI MOS devices using a quasi-two-dimensional approach..... 1321

M. W. DRYFUSE and M. TABIB-AZAR: A relationship between interface trap density and transconductance in 6H-SiC enhancement mode field-effect transistors 1331

G. A. ARMSTRONG, S. D. BROTHERTON and J. R. AYRES: A comparison of the kink effect in polysilicon thin film transistors and silicon on insulator transistors 1337

G. REICHERT, T. OUISSE, J. L. PELLOIE and S. CRISTOLOVEANU: Mobility modeling of SOI MOSFETs in the high temperature range 1347

DEJAN KRIŽAJ, GEORGES CHARITAT and SLAVKO AMON: A new analytical model for determination of breakdown voltage of Resurf structures 1353

J. FERNÁNDEZ, P. GODIGNON, S. BERBERICH, J. REBOLLO, G. BREZEANU and J. MILLÁN: High frequency characteristics and modelling of p-type 6H-silicon carbide MOS structures 1359

DER-FENG GUO: Characteristics of bulk-barrier switching devices with InGaAs-GaAs delta-doped quantum wells..... 1365

Y. OHKURA, S. KIMURA and S. IHARA: Effects of the screening and mirror charges on electron mobility in the subthreshold region of Si MOSFETs 1371

O. G. KOSHELEV and V. A. MOROZOVA: A nondestructive method for measuring the photoelectric parameters of wafers with p–n junctions 1379

L. DJALOSHINSKI and Y. NEMIROVSKY: Methodology of abrupt heterostructures: band diagram calculations 1385

Notes

WALLACE W. LIN and CHUNLIN LIANG: Separation of d.c. and a.c. competing effect of polysilicon-gate depletion in deep submicron CMOS circuit performance 1391

J. L. AUTRAN and C. CHABRERIE: Use of the charge pumping technique with a sinusoidal gate waveform..... 1394

C.-M. ZETTERLING and M. ÖSTLING: A novel UMOS capacitor test structure for SiC devices 1396

D. C. LOOK, Z.-Q. FANG and J. R. SIZELOVE: Depletion approximation in semiconductor trap filling analysis: application to EL2 in GaAs 1398

H. WONG, K. F. MAN and M. C. POON: Modeling of saturation transconductance for short-channel MOSFETs 1401

KAI CHEN, Z. H. LIU, MIN-CHIE JENG, YUHUA CHENG, PING K. KO and CHENMING HU: Modeling of a MOSFET's parasitic resistance's narrow width and body bias effects for an IC simulator 1405

NUMBER 10

Review Paper
J. B. CASADY and R. W. JOHNSON: Status of silicon carbide (SiC) as a wide-bandgap semiconductor for high-temperature applications: a review 1409

P. ROUQUETTE, D. GASQUET, F. BARBEROUSSE, W. DE RAEDT and Y. BAEYENS: Influence of kink effect on noise measurements in InP substrate PHEMTs at microwave frequencies 1423

TOSHIHIRO MATSUDA, TAKASHI OHZONE and TAKASHI HORI: Time dependent dielectric breakdown characteristics of MOS capacitors with Si-implanted SiO_2 1427

AHARON J. AGRANAT, OFFER SCHWARTSGLASS and JOSEPH SHAPPIR: The charge controlled analog synapse 1435

A. V. KAMANIN, I. A. MOKINA and N. M. SHMIDT: Peculiarities of the initial stage of Zn diffusion into InP from polymer spin-on films 1441

V. GERGEL, I. LAPUSHKIN and A. ZAKHAROVA: Self-consistent calculation of current–voltage characteristics of resonant tunnelling structures with type II heterojunctions... 1445

J. C. YEN, Q. ZHANG, M. J. MONDRY, P. M. CHAVARKAR, E. L. HU, S. I. LONG and U. K. MISHRA: Monolithic integrated resonant tunneling diode and heterostructure junction field effect transistor circuits 1449

M. NATHAN, Z. SHOSHANI, G. ASHKINAZI, B. MEYLER and O. ZOLOTAREVSKI: On the temperature dependence of the barrier height and the ideality factor in high voltage Ni–nGaAs Schottky diodes 1457

O. TORNBLAD, U. LINDEFELT and B. BREITHOLTZ: Heat generation in Si bipolar devices: the relative importance of various contributions 1463

G. N. DASH, J. K. MISHRA and A. K. PANDA: Noise in mixed tunneling avalanche transit time (MITATT) diodes 1473

P. CHAKRABARTI, A. GUPTA and N. A. KHAN: An analytical model of GaAs OPFET... 1481

P. CHATTOPADHYAY: Capacitance technique for the determination of interface state density of metal–semiconductor contact 1491

A. A. PTASHCHENKO and F. A. PTASHCHENKO: "Excess" polarization of the spontaneous emission in laser heterostructures 1495

YOONJONG HUH, DOOYOUNG YANG and YUNGKWON SUNG: Analysis of circuit degradation due to hot-carrier effects in 64Mb DRAMs 1501

SERHAT ÖZDER, İSMAIL ATILGAN and BAYRAM KATIRCIOĞLU: New approach to bias scan DLTS for rapid evaluation of interface states in MOS structures 1507

Notes

KAI CHEN, H. CLEMENT WANN, JON DUSTER, PING K. KO, CHENMING HU and MAKOTO YOSHIDA: MOSFET carrier mobility model based on gate oxide thickness, threshold and gate voltages 1515

M. ESTRADA DEL CUETO and A. C. ALTUZARRA: On the analysis of C–V curves for high resistivity substrates 1519

F. SCHWIERZ, M. ROSSBERG, D. NUERNBERGK, H. FÖRSTER, D. SCHIPANSKI and J. J. LIOU: An improved velocity overshoot model for submicron-gate MESFETs 1522

J. A. DE LIMA: Effective aspect-ratio and gate-capacitance in circular geometry MOS transistors 1524

GWO-CHUNG TAI, CAN E. KORMAN and ISAAK D. MAYERGOYZ: Simulation of the logic switching characteristics of hot-carrier-degraded ultra-thin SOI CMOS inverters 1526

NUMBER 11

D. M. BROWN, E. DOWNEY, M. GHEZZO, J. KRETCHMER, V. KRISHNAMURTHY, W. HENNESSY and G. MICHON: Silicon carbide MOSFET technology 1531

T. MAEDA, K. NUMATA, Y. OHNO, H. HIDA, M. TOKUSHIMA, M. FUKAISHI, M. ISHIKAWA and M. FUJII: A technique for compensating for temperature variation in low-supply-voltage GaAs DCFL circuits 1543

P. T. LAI, XU JINGPING, X. ZENG and Y. C. CHENG: New observation and improvement in GIDL of n-MOSFETs with various kinds of N_2O-based gate oxides under hot-carrier stress 1549

T. AOKI: Observation of photon emissions from hot electrons and latch-up at the cleaved surface of CMOS structures 1553

N. LUNDBERG and M. ÖSTLING: Thermally stable low ohmic contacts to p-type 6H-SiC using cobalt silicides 1559

F. STENGEL, S. NOOR MOHAMMAD and H. MORKOC: Analytical investigation of electrical performance of metal–insulator–III–V semiconductor field-effect transistors 1567

C. SURYA, W. WANG, W. K. FONG, C. H. CHAN and P. T. LAI: Effects of Ar^+ back-surface gettering on the properties of flicker noise in n-channel nitrided MOSFETs 1577

S.-L. JANG, W.-M. CHEN, H.-H. LIN and C.-H. HUANG: Low frequency noise characteristics of AlInAs/InGaAs heterojunction bipolar transistors 1581

A. ROGALSKI, R. CIUPA and W. LARKOWSKI: Near room-temperature InAsSb photodiodes: theoretical predictions and experimental data 1593

K. VARAHRAMYAN and E. J. VERRET: A model for specific contact resistance applicable for titanium silicide–silicon contacts 1601

K. KOBAYASHI and H. SASAKI: Applications of ZnO-based glass membranes to MOS devices 1609

B. GENTINNE, D. FLANDRE, J.-P. COLINGE and F. VAN DE WIELE: Measurement and two-dimensional simulation of thin-film SOI MOSFETs: intrinsic gate capacitances at elevated temperatures 1613

R. LACOMB and F. JAIN: A self-consistent model to simulate large-signal electrical characteristics of resonant tunneling bipolar transistors 1621

J. MATEOS, T. GONZÁLEZ, D. PARDO, P. TADYSZAK F. DANNEVILLE and A. CAPPY: Numerical and experimental analysis of the static characteristics and noise in ungated recessed MESFET structures 1629

D.-F. GUO: Resonant tunneling characteristics of a delta-doped strained-layer quantum-well switching device (δ-SQSD) 1637

B. R. RYUM and T.-H. HAN: MBE-grown SiGe base HBT with polysilicon-emitter and $TiSi_2$ base ohmic layer 1643

M. CALDARARU, F. CRACIUNOIU, A. PARASCHIV, D. CRISTEA, F. CALDARARU, D. DASCALU, C. KLIER, G. MIREA, A. VASILE and M. NICOLAE: Silicon photodiode–waveguide coupling—two-dimensional modelling, software simulation and experiments 1649

A. W. SMITH and K. F. BRENNAN: Non-parabolic hydrodynamic formulations for the simulation of inhomogeneous semiconductor devices 1659

G.-C. TAI, C. E. KORMAN and I. D. MAYERGOYZ: Simulation of the logic switching characteristics of hot-carrier-degraded ultra-thin SOI CMOS inverters 1669

Notes

J. HONG, W. S. HOBSON, H. HAN and S. J. PEARTON: Selective and non-selective wet chemical etching of $GaAs_{0.93}P_{0.07}$ 1675

Y.-S. CHUNG, S.-Y. HAN, Y.-I. CHOI and S.-K. CHUNG: Closed-form analytical expressions for the breakdown voltage of GaAs parallel-plane p^+n junction in ⟨100⟩, ⟨110⟩ and ⟨111⟩ orientations 1678

B. S. DOYLE and K. R. MISTRY: New hot carrier failure criterion for *p*-channel transistors based on transistor leakage currents 1681

P. MA, L. ZHANG and Y. WANG: Analytical model of collector current density and base transit time based on iteration method 1683

MANEESHA, M. K. KHANNA, S. HALDAR and R. S. GUPTA: An empirical fringing capacitance dependent threshold voltage model for non-uniformly doped submicron MOSFETs 1687

Erratum to "On the solution of the Poisson equation for an isotype heterojunction under zero-current condition" by R. C. KUMAR 1693

NUMBER 12

S. P. SINGH, N. GOLDSMAN and I. D. MAYERGOYZ: Modelling multi-band effects of hot electron transport in silicon by self-consistent solution of the Boltzmann transport and Poisson equations 1695

A. SALAH, O. O. AWADELKARIM, J. WERKING, G. BERSUKER and Y. D. CHAN: A comparison between plasma charging-damage and inductive-damage: damage response to Fowler–Nordheim stress 1701

W. ZHOU, S. SHEU, J. J. LIOU and C. I. HUANG: Analysis of non-uniform current and temperature distributions in the emitter finger of AlGaAs/GaAs heterojunction bipolar transistors 1709

JUNG-HUI TSAI, LIH-WEN LAIH, HUI-JUNG SHIH, WEN-CHAU LIU and HAO-HSIUNG LIN: On the recombination currents effect of heterostructure-emitter bipolar transistors (HEBTs) 1723

HSIAO-YI LIN, CHUN-YEN CHANG, TAN FU LEI and CHENG-JYI CHANG: Novel polycrystalline silicon thin film transistors prepared by deposition from Si_2H_6 and subsequent annealing by NH_3 plasma 1731

KAZUOKI USAMI and KAZUSHIGE HORIO: 2-D simulation of kink-related sidegating effects in GaAs MESFETs 1737

F. REN, J. R. LOTHIAN, J. D. MACKENZIE, C. R. ABERNATHY, C. B. VARTULI, S. J. PEARTON and R. G. WILSON: Plasma damage effects in InAlN field effect transistors 1747

A. M. IONESCU, S. CRISTOLOVEANU, D. MUNTEANU, T. ELEWA and M. GRI: A new lifetime characterization technique using drain current transients in SOI material 1753

K. A. CHRISTIANSON and W. T. ANDERSON: Determination of AlGaAs/GaAs HEMT parasitic resistances 1757

A. KLÖS and A. KOSTKA: A new analytical method of solving 2D Poisson's equation in MOS devices applied to threshold voltage and subthreshold modeling 1761

P. GODIGNON, J. FERNÁNDEZ, D. FLORES, S. HIDALGO, J. REBOLLO, J. MILLÁN and J. P. CHANTE: Design considerations of a MOS-bipolar Darlington structure: the vertical insulated base transistor (IBT) 1777

FRANCK STENGEL, S. NOOR MOHAMMAD and HADIS MORKOÇ: Analytical investigation of surface potential and related properties of metal/insulator/III–V semiconductor capacitors 1783

BIN YU, ZHI-JIAN MA, G. ZHANG and CHENMING HU: Hot-carrier-induced degradation in ultra-thin-film fully-depleted SOI MOSFETs 1791

J. GARCÍA-GARCÍA, X. ORIOLS, F. MARTÍN and J. SUÑÉ: Comparison between the relaxation time approximation and the Boltzmann collision operator for simulation of dissipative electron transport in resonant tunnelling diodes 1795

Notes

L. C. MOLINA TORRES and P. VERDONCK: A precise method to determine the stress current to be applied to electromigration test structures 1805

P. R. S. Rao, K. Remashan, K. R. Suryaprasad, K. N. Bhat and K. S. Chari: Optimization of PECVD silicon oxynitride for silicon MIS devices with low interface state density 1808

Lili He and Z. Q. Shi: Effect of deposition temperature on electric conduction and microstructure of Au films 1811

Ru Huang, Yang Yuan Wang and RuQi Han: Analytical modeling for the collector current in SOI gate-controlled hybrid transistor 1816

Krishanu Datta and M. Jagadesh Kumar: C_{jc} and the output conductance of advanced bipolar junction transistors under nonlocal impact ionization conditions 1821